Range: VIBRACUT

TECHNICAL DATASHEET PRODUCT





COMFORTABLE AND ANTISTATIC

R e f : 0369

DESCRIPTION

Recommended for Conductive or Antistatic shoes (NEW 2021), this sock with its loop knit reinforcements improves comfort and cushioning in safety shoes.

KEYS FEATURES

- > Antistatic & Conductive Compatible (NEW 2021)
- > Loop insole for more comfort

JLF Pro

> High resistance of the heel, toes and ankle reinforcement

FIELD OF USE

· All work and activity sector

WORKING ENVIRONMENT

· All environment, intensive use


COMPATIBILITY

· All safety shoes and boots



0610-DESINFECTANT DESODORISANT

Size VR / AG : 36/38 to 48/50





GROUPE JLF - 4 rue du Président Carnot - 69002 Lyon - France Tél. +33 (0)4 78 37 07 37 - Fax. +33 (0)4 78 37 62 89

DOWNLOADING OF PRODUCT DATASHEETS AND DOCUMENTS ON WEBSITE www.jlf-pro.com



CHARACTERISTICS

• Does not alter the electrical properties of the shoe, compatible with conductive or antistatic shoes (NEW 2021).

 \cdot This sock is reinforced at the heel, the toes and the ankle bones

· Loop insole extended under the toes, the top of the heel and on the ankles for comfort.

 \cdot Color code at the front of the sock to indicate the size of the sock

BENEFITS

- · Increase comfort and absorption
- · Resistant and made for professional and intensive use

Range: VIBRACUT

WORKER - REF : 0369

COMPOSITION / MATERIAL

 \cdot 47% Cotton, 35% Polyester, 10% Polyamide, 6% Silver yarn, 2% elastane*

 \cdot *Compositions are likely to be modified depending on productions

TECHNICAL DATASHEET PRODUCT

國 × 図 及

USE / CARE INSTRUCTIONS & ADVICES

 \cdot This sock is not a substitute for wearing an antistatic or conductive safety shoe.

 \cdot For ESD, the influencing factors for an electrostatic charge being conditioned by several factors, we invite the users to check the good compatibility with the shoes used.

 \cdot This model is a necessary addition to our anti-fatigue insoles to effectively combat MSDs, particularly back problems

 \cdot The size of each model is indicated by the specific color code on the front part of the sock

LIFESPAN

50 washing cycles

LAB TESTS RESULTS			
STANDARD	NORMATIVE REFERENCE	TESTING	RESULTS
Electrical resistance antistatic behaviour	ISO 20344:2011§5.10	After conditioning in dry atmosphere > left foot > rigth foot After conditioning in wet atmosphere > left foot > right foot	This sock does not alter the antistatic properties of the shoe.
Electrical resistance conductive behaviour	180 20344 201165 10	> After conditioning in dry environment - left foot: > After conditioning in wet environment - right foot:	This sock does not alter the conductive properties of the shoe.

Creation Date :
Revision Date :

01/10/2020-V2
NOT CONCERNED

NOT CONCERNED
ISO 9001

BUREAU VERITAS Certification
ISO 9001

BUREAU VERITAS

(JLFPro

GROUPE JLF - 4 rue du Président Carnot - 69002 Lyon – France - Tél. +33 (0)4 78 37 07 37 – Fax. +33 (0)4 78 37 62 89 SAS CAPITAL 361 760 € - RCS ANGOULEME B 314284134 - CODE APE 15202 - CODE TVA FR 95 314 284 134 - N°SIRET 314 284 134 00041

GROUPE JLF reserves the right to modify the manufacturing characteristics of the product. Non contractual document